B

| Notice of Allowability   | Application No.   | Applicant(s)  |
|--|---|---------------|
|  | 10/803,786  | SIGLER ET AL. |
|  | Examiner  | Art Unit      |
|  | Joshua L. Pritchett   | 2872          |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. |   |               |
| 1. This communication is responsive to <u>After Final Amendment filed May 22, 2006</u> .   |   |               |
| 2. The allowed claim(s) is/are <u>1-10</u> .   |   |               |
| <ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>                 |   |               |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.   |   |               |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.   |   |               |
| 5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  |   |               |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached   |   |               |
| 1)  hereto or 2)  to Paper No./Mail Date   |   |               |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of<br>Paper No./Mail Date  |   |               |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  |   |               |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.  |   |               |
| Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material   | 6. Interview Summary Paper No./Mail Dat 08), 7. Examiner's Amendr | e             |

Application/Control Number: 10/803,786

Art Unit: 2872

**DETAILED ACTION** 

Page 2

This action is in response to After Final Amendment filed May 22, 2006. Applicant's 37

CFR 1.132 Affidavit has been considered.

Response to Arguments

Applicant's arguments, see 37 CFR 1.132 Affidavit, filed May 22, 2006, with respect to

claims 1 and 10 have been fully considered and are persuasive. The rejection of claims 1 and 10

has been withdrawn.

Applicant filed a 1.132 affidavit stating the claimed distance of about one beam diameter

between the last flat fold mirror and the exit pupil of the sub-aperture telescopes and the about

three to four beam diameters of the prior art cannot be considered to overlap based on the

broadest reasonable interpretation of one of ordinary skill in the art. Applicant states that the

prior art could not perform the fill factor and field of view the current invention has based on the

difference in the distance between the last flat fold mirror and the exit pupil.

Allowable Subject Matter

Claims 1-10 are allowed.

The following is an examiner's statement of reasons for allowance:

Art Unit: 2872

Regarding claims 1 and 10, the prior art of record fails to teach or suggest a plurality of sub-aperture telescopes, each including four powered mirrors and a plurality of sets of relay optics each set of relay optics including a first flat fold mirror, a trombone mirror pair and a last flat fold mirror where the last flat fold mirrors are disposed within about a beam diameter of the respective exit pupils from the exit pupils of the sub-aperture telescopes and a combiner section.

Page 3

The remaining claims depend from claim 1 and are allowable for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joshua L. Pritchett whose telephone number is 571-272-2318. The examiner can normally be reached on Monday - Friday 7:00 - 3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew A. Dunn can be reached on 571-272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/803,786

Art Unit: 2872

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JLP #

DREW A. DUNN SUPERVISORY PATENT EXAMINER

Page 4